


CRIB ASSEMBLY INSTRUCTIONS


For Fixed Side Cribs

PARTS INCLUDED IN CARTON


2 – HEADBOARDS



2 – SIDES




1 – MATTRESS SUPPORT SPRING



PARTS INCLUDED IN HARDWARE BAG


8 – DECORATIVE BOLTS



8 – LOCK WASHERS



4 – HEX BOLTS



1 – HEX WRENCH



1 – ALLEN WRENCH



CRIB ASSEMBLY INSTRUCTIONS

For Fixed Side Cribs

- READ ALL INSTRUCTIONS BEFORE ASSEMBLING CRIB. KEEP INSTRUCTIONS FOR FUTURE USE.



WARNING: INFANTS CAN SUFFOCATE ON SOFT BEDDING. NEVER ADD A PILLOW, COMFORTER OR PADDING.

- TO REDUCE THE RISK OF SIDS, PEDIATRICIANS RECOMMEND HEALTHY INFANTS BE PLACED ON THEIR BACKS TO SLEEP, UNLESS OTHERWISE ADVISED BY YOUR PHYSICIAN.

Strangulation Hazard:

- STRINGS CAN CAUSE STRANGULATION! DO NOT PLACE ITEMS WITH A STRING, CORD OR RIBBON AROUND A CHILD'S NECK SUCH AS HOOD STRINGS OR PACIFIER CORDS. DO NOT SUSPEND STRINGS OVER CRIB OR TODDLER BED OR ATTACH STRINGS TO TOYS FOR ANY REASON.
- TO HELP PREVENT STRANGULATION TIGHTEN ALL FASTENERS. A CHILD CAN TRAP PARTS OF THE BODY OR CLOTHING ON LOOSE FASTENERS.
- DO NOT PLACE CRIB OR TODDLER BED NEAR WINDOW WHERE CORDS FROM BLINDS OR DRAPES MAY STRANGLE A CHILD.

Fall Hazard:

- WHEN CHILD IS ABLE TO PULL TO STANDING POSITION, SET MATTRESS TO LOWEST POSITION AND REMOVE BUMPER PADS, LARGE TOYS AND OTHER OBJECTS THAT COULD SERVE AS STEPS FOR CLIMBING OUT.
- WHEN CHILD IS ABLE TO CLIMB OUT OR REACHES THE HEIGHT OF 35 IN. (90 CM), THE CRIB SHALL NO LONGER BE USED AND THE CHILD SHOULD BE PLACED IN A YOUTH OR REGULAR BED.

WARNING: FAILURE TO FOLLOW THESE WARNINGS AND ASSEMBLY INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.

CAUTION: ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27 ¼ INCHES (69 CM) BY 51 5/8 INCHES (131 CM) WITH A THICKNESS NO LESS THAN 4 INCHES (10 CM) AND NOT EXCEEDING 6 INCHES (15 CM).

- CHECK THIS PRODUCT FOR DAMAGED HARDWARE, LOOSE JOINTS, MISSING PARTS OR SHARP EDGES BEFORE AND AFTER ASSEMBLY AND FREQUENTLY DURING USE. SECURELY TIGHTEN LOOSE BOLTS AND OTHER FASTENERS. DO NOT USE CRIB IF ANY PARTS ARE MISSING, DAMAGED OR BROKEN. ASK YOUR **DEALER** OR WRITE TO **EL GRECO WOODWORKING** FOR REPLACEMENT PARTS AND INSTRUCTIONAL LITERATURE IF NEEDED. DO NOT SUBSTITUTE PARTS.
- IF REFINISHING, USE A NON-TOXIC FINISH SPECIFIED FOR CHILDREN'S PRODUCTS.
- NEVER USE PLASTIC SHIPPING BAGS OR OTHER PLASTIC FILM AS MATTRESS COVERS BECAUSE THEY CAN CAUSE SUFFOCATION.
- INFANTS CAN SUFFOCATE IN GAPS BETWEEN CRIB SIDES AND A MATTRESS THAT IS TOO SMALL.
- PERIODICALLY CHECK TO SEE THAT ALL BOLTS ARE SECURELY TIGHTENED.
- TO CLEAN CRIB: WIPE WITH CLEAN SOFT CLOTH DAMPENED WITH MILD CLEANSER AND WATER. RINSE WITH CLEAN WATER USING SOFT CLOTH, AND DRY THOROUGHLY.
- FOLLOW WARNINGS ON ALL PRODUCTS IN A CRIB.
- WHEN A VAPORIZER IS IN USE, ALWAYS AIM VAPOR STREAM AWAY FROM CRIB AS WELL AS AWAY FROM ANY OTHER WOOD FURNITURE.

CRIB ASSEMBLY INSTRUCTIONS

For Fixed Side Cribs

DO NOT USE POWER TOOLS!


- STEP 1: Mount one **Side** to the rear posts of the **Headboards**. Use four **Decorative Bolts** to fasten the side to the posts. DO NOT tighten the bolts yet.
- STEP 2: Install the **Mattress Support Spring** in the crib with the flat side up. Extend the mounting flange on each corner and attach the spring to headboard and footboard at the desired level using four **Hex Bolts** and **Hex Wrench** provided. The top position is recommended for newborns. The bottom position must be used when the baby is able to kneel or stand in the crib.
- STEP 3: Mount the other **Side** to the posts of the **Headboards**. Use four **Decorative Bolts** to fasten the side to the posts. Tighten all bolts, including the ones from the first side, with the **Allen wrench** provided.
- STEP 4: Once the crib is in use, periodically check to make sure all bolts are tight, and tighten as necessary. For future use, keep these instructions in the plastic bag attached to the mattress support spring.
-

Maintenance: Upon completion of assembly be sure all screws, bolts and fastening devices have been tightened securely. Periodically repeat this check to make sure all screws, bolts and fastening devices are tight. Before each usage or assembly, inspect crib for damaged hardware, loose joints, missing parts or sharp edges. DO NOT use crib if parts are missing or broken. DO NOT substitute parts. DO NOT make any alteration to this crib.


Cleaning: Mix together a mild solution of gentle dishwashing liquid and water, apply to crib surface using a soft clean cloth lightly dampened in the solution. Rinse with clean water again using a soft clean cloth, then dry all surfaces thoroughly with a soft dry cloth. NO ABRASIVE CLEANERS, SCOURING PADS, STEEL WOOL OR COARSE RAGS SHOULD BE USED TO CLEAN THIS FINE FURNITURE.

Storage: A plastic pouch is attached to the crib for the storage of the assembly directions for future referral. After completing the assembly process you are advised to read and beware of all WARNINGS, CAUTIONS, CLEANING, STORAGE, USE AND MAINTENANCE notices contained in these instructions. We caution you not to place excess hardware in the plastic pouch as it could present danger to a child if retrieved and it could also puncture the crib mattress.


Fixed Side CRIB ASSEMBLY INSTRUCTIONS



CRIB - STEP 1



CRIB - STEP 2



CRIB - STEP 3